

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : XO Gentle Disinfection  
Revision : 14.10.2019  
Print date : 14.10.2019

Version : 1.0.0

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

XO Gentle Disinfection

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

XO Gentle Disinfection is an aldehyde-free, ready-to-use solution for the rapid disinfection of alcohol-resistant surfaces of medical devices.

##### Products Category [PC]

PC0 - PC 0 - Other  
Disinfectants

##### Uses advised against

None, if handled according to order.

##### Remark

The product is intended for professional use.

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier (manufacturer/importer/only representative/downstream user/distributor)

orochemie GmbH + Co. KG

Street : Max-Planck-Straße 27

Postal code/city : 70806 Kornwestheim

Telephone : +49 7154 1308-0

Telefax : +49 7154 1308-40

Information contact : XO CARE A/S, Håndværkersvinget 6, DK-2970 Hørsholm  
Phone No.: +45 7020 5511, Telefax No.: +45 7020 5510, info@xo-care.com, xo-care.com

#### 1.4 Emergency telephone number

INT: +49 6132 84463 (24 h/7 d)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

Flam. Liq. 3 ; H226 - Flammable liquids : Category 3 ; Flammable liquid and vapour.

##### Classification procedure

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP] as well as in-house investigations.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



Flame (GHS02) · Exclamation mark (GHS07)

##### Signal word

Warning

##### Hazard statements

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** XO Gentle Disinfection  
**Revision :** 14.10.2019  
**Print date :** 14.10.2019

**Version :** 1.0.0

H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.

### Precautionary statements

P211 Do not spray on an open flame or other ignition source.  
P280 Wear protective gloves and eye/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container to hazardous or special waste collection point.

### 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Description

XO Gentle Disinfection contains alcohols, quaternary ammonium compounds and auxiliary agents in aqueous solution.

#### Hazardous ingredients

1-PROPANOL ; REACH No. : 01-2119486761-29 ; EC No. : 200-746-9; CAS No. : 71-23-8

Weight fraction :  $\geq 15 - < 20$  %

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Dam. 1 ; H318 STOT SE 3 ; H336

DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; REACH No. : 012119970550-39 ; EC No. : 287-089-1; CAS No. : 85409-22-9

Weight fraction :  $< 0,25$  %

Classification 1272/2008 [CLP] : Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

#### Additional information

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

Wash with plenty of water. When in doubt or if symptoms are observed, get medical advice.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

If swallowed, immediately drink: Water Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting. Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** XO Gentle Disinfection  
**Revision :** 14.10.2019  
**Print date :** 14.10.2019

**Version :** 1.0.0

### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) Extinguishing powder Water spray jet Water mist

#### Unsuitable extinguishing media

Full water jet

### 5.2 Special hazards arising from the substance or mixture

None known.

#### Hazardous combustion products

Vapours can form explosive mixtures with air.

### 5.3 Advice for firefighters

Cool endangered containers with water in case of fire.

#### Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Remove all sources of ignition. When using do not smoke. See protective measures under point 7 and 8.

#### For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

#### For emergency responders

##### Personal protection equipment

See protective measures under point 7 and 8.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 6.3 Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### Other information

Treat the recovered material as prescribed in the section on waste disposal.

### 6.4 Reference to other sections

None

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep/Store only in original container. Please note safety instructions and directions for use on the drum. Handle and open container with care. Keep away from sources of ignition - No smoking. Provide adequate ventilation. Do not breathe vapour/aerosol.

#### Protective measures

##### Measures to prevent fire

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed. Keep in a cool, well-ventilated place. Do not store in temperatures below 5 °C.

#### Hints on joint storage

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** XO Gentle Disinfection  
**Revision :** 14.10.2019  
**Print date :** 14.10.2019

**Version :** 1.0.0

Do not store together with oxidizing, self-igniting substances and highly flammable solid substances. Store the foodstuffs separately.

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

1-PROPANOL ; CAS No. : 71-23-8

Limit value type (country of origin) : TLV/STEL ( GB )

Limit value : 250 ppm / 625 mg/m<sup>3</sup>

Limit value type (country of origin) : TLV/TWA ( GB )

Limit value : 200 ppm / 500 mg/m<sup>3</sup>

#### DNEL-/PNEC-values

There are no data available on the preparation itself.

##### DNEL/DMEL

Limit value type : DNEL Consumer (systemic) ( 1-PROPANOL ; CAS No. : 71-23-8 )

Exposure route : Inhalation

Exposure frequency : Short-term

Limit value : 1036 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic) ( 1-PROPANOL ; CAS No. : 71-23-8 )

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 81 mg/kg

Limit value type : DNEL Consumer (systemic) ( 1-PROPANOL ; CAS No. : 71-23-8 )

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 80 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic) ( 1-PROPANOL ; CAS No. : 71-23-8 )

Exposure route : Oral

Exposure frequency : Long-term

Limit value : 61 mg/kg

Limit value type : DNEL worker (systemic) ( 1-PROPANOL ; CAS No. : 71-23-8 )

Exposure route : Inhalation

Exposure frequency : Short-term

Limit value : 1723 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic) ( 1-PROPANOL ; CAS No. : 71-23-8 )

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 136 mg/kg

Limit value type : DNEL worker (systemic) ( 1-PROPANOL ; CAS No. : 71-23-8 )

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 268 mg/m<sup>3</sup>

##### PNEC

Limit value type : PNEC (Aquatic, freshwater) ( 1-PROPANOL ; CAS No. : 71-23-8 )

Limit value : 10 mg/l

Limit value type : PNEC (Aquatic, marine water) ( 1-PROPANOL ; CAS No. : 71-23-8 )

Limit value : 1 mg/l

Limit value type : PNEC (Industrial) ( 1-PROPANOL ; CAS No. : 71-23-8 )

Exposure route : Soil

Limit value : 2,2 mg/kg

Limit value type : PNEC (Sediment, freshwater) ( 1-PROPANOL ; CAS No. : 71-23-8 )

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** XO Gentle Disinfection  
**Revision :** 14.10.2019  
**Print date :** 14.10.2019

**Version :** 1.0.0

Limit value : 22,8 mg/kg  
Limit value type : PNEC (Sediment, marine water) ( 1-PROPANOL ; CAS No. : 71-23-8 )  
Limit value : 2,28 mg/kg  
Limit value type : PNEC (Sewage treatment plant) ( 1-PROPANOL ; CAS No. : 71-23-8 )  
Exposure route : Water (Including sewage plant)  
Limit value : 96 mg/l

### 8.2 Exposure controls

#### Personal protection equipment

##### Eye/face protection

Eye glasses with side protection DIN EN 166

##### Skin protection

###### Hand protection

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.1 mm.

Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

###### Body protection

Body protection: not required.

##### Respiratory protection

Usually no personal respiratory protection necessary.

#### General information

Keep away from food, drink and animal feedingstuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

#### Other protection measures

##### Technical measures to prevent exposure

Provide adequate ventilation.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** Liquid

**Colour :** colourless

**Odour :** Alcohol

#### Safety characteristics

<b>Melting point/freezing point :</b>	( 1013 hPa )	No data available
<b>Initial boiling point and boiling range :</b>	( 1013 hPa )	No data available
<b>Decomposition temperature :</b>	( 1013 hPa )	No data available
<b>Flash point :</b>		33 °C
<b>Auto-ignition temperature :</b>		371 °C
<b>Lower explosion limit :</b>		2,1 Vol-%
<b>Upper explosion limit :</b>		19,2 Vol-%
<b>Vapour pressure :</b>	( 50 °C )	No data available
<b>Density :</b>	( 20 °C )	0,95 - 0,99 g/cm <sup>3</sup>
<b>Solvent separation test :</b>	( 20 °C )	< 3 %
<b>Water solubility :</b>	( 20 °C )	100 Wt %
<b>pH value :</b>		6,5 - 7,5
<b>log P O/W :</b>		No data available
<b>Flow time :</b>	( 20 °C )	< 20 s
<b>Odour threshold :</b>		No data available

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : XO Gentle Disinfection  
Revision : 14.10.2019  
Print date : 14.10.2019

Version : 1.0.0

Maximum VOC content (EC) : 17 Wt %  
Oxidising liquids : Not applicable.  
Explosive properties : Not applicable.  
Corrosive to metals : Not corrosive to metals.

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None, if handled according to order.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

### 10.3 Possibility of hazardous reactions

Vapours can form explosive mixtures with air.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

Oxidizing agent.

### 10.6 Hazardous decomposition products

None known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Acute oral toxicity

Parameter : LD50  
Exposure route : Oral  
Species : Rat  
Effective dose : > 2000 mg/kg  
Method : OECD 423  
Parameter : ATEmix calculated  
Exposure route : Oral  
Effective dose : not relevant  
Parameter : ATE ( DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9 )  
Exposure route : Oral  
Effective dose : 500 mg/kg

##### Practical experience/human evidence

There is no inhalation risk under normal application conditions.

##### Acute dermal toxicity

Parameter : LD50  
Exposure route : Dermal  
Species : Rat  
Effective dose : > 2000 mg/kg  
Method : OECD 402  
Parameter : ATEmix calculated  
Exposure route : Dermal  
Effective dose : not relevant

##### Acute inhalation toxicity

Parameter : ATEmix calculated  
Exposure route : Inhalation (vapour)

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** XO Gentle Disinfection  
**Revision :** 14.10.2019  
**Print date :** 14.10.2019

**Version :** 1.0.0

Effective dose : not relevant  
Parameter : LC50 ( 1-PROPANOL ; CAS No. : 71-23-8 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 33,8 mg/l  
Exposure time : 4 h  
Method : OECD 403

### Corrosion

In vitro eye test Causes serious eye irritation.

### Respiratory or skin sensitisation

No data available.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

### 11.5 Additional information

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP] as well as in-house investigations.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

There are no data available on the preparation itself.

##### Acute (short-term) fish toxicity

Parameter : LC50 ( 1-PROPANOL ; CAS No. : 71-23-8 )  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 4480 mg/l  
Exposure time : 96 h  
Parameter : LC50 ( DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9 )  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 0,28 mg/l  
Exposure time : 96 h  
Parameter : LC50 ( DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 0,85 mg/l  
Exposure time : 96 h  
Method : OECD 203

##### Chronic (long-term) fish toxicity

Parameter : NOEC ( DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9 )  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Chronic (long-term) fish toxicity  
Effective dose : 0,032 mg/l  
Exposure time : 816 h

##### Acute (short-term) toxicity to crustacea

Parameter : EC50 ( 1-PROPANOL ; CAS No. : 71-23-8 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 3644 mg/l  
Exposure time : 48 h  
Parameter : EC50 ( DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** XO Gentle Disinfection  
**Revision :** 14.10.2019  
**Print date :** 14.10.2019

**Version :** 1.0.0

Effective dose : 0,016 mg/l  
Exposure time : 48 h

### Chronic (long-term) toxicity to crustacea

Parameter : NOEC ( 1-PROPANOL ; CAS No. : 71-23-8 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : > 100 mg/l  
Exposure time : 504 h  
Method : OECD 211

Parameter : NOEC ( DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : 0,0042 mg/l  
Exposure time : 504 h

### Acute (short-term) toxicity to aquatic algae and cyanobacteria

Parameter : EC50 ( 1-PROPANOL ; CAS No. : 71-23-8 )  
Species : Scenedesmus subspicatus  
Evaluation parameter : Inhibition of growth rate  
Effective dose : 3100 mg/l  
Exposure time : 168 h

Parameter : EC50 ( DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : 0,02 mg/l  
Exposure time : 72 h  
Method : OECD 201

### Chronic (long-term) algae toxicity

Parameter : NOEC ( 1-PROPANOL ; CAS No. : 71-23-8 )  
Species : Algae  
Evaluation parameter : Chronic (long-term) algae toxicity  
Effective dose : 1150 mg/l  
Exposure time : 48 h

### Toxicity to microorganisms

Parameter : EC50 ( 1-PROPANOL ; CAS No. : 71-23-8 )  
Species : Pseudomonas putida  
Evaluation parameter : Bacteria toxicity  
Effective dose : 2700 mg/l  
Exposure time : 16 h

Parameter : EC50 ( DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9 )  
Evaluation parameter : Bacteria toxicity  
Effective dose : 7,75 mg/l  
Exposure time : 3 h  
Method : OECD 209

## 12.2 Persistence and degradability

### Abiotic degradation

No data available.

### Biodegradation

Readily biodegradable (according to OECD criteria).

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

### Distribution

There are no data available on the preparation itself.



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : XO Gentle Disinfection  
Revision : 14.10.2019  
Print date : 14.10.2019

Version : 1.0.0

### Adsorption

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

No information available.

#### 12.7 Additional ecotoxicological information

Prevent from flowing into surface water/ground water.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product/Packaging disposal

##### Waste codes/waste designations according to EWC/AVV

##### Waste code product

Concentrate/larger quantities: 18 01 06\* (disinfectant).

##### Waste treatment options

##### Appropriate disposal / Product

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

##### Appropriate disposal / Package

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### 14.1 UN number

UN 1274

### 14.2 UN proper shipping name

#### Land transport (ADR/RID)

N-PROPANOL

#### Sea transport (IMDG)

N-PROPANOL

#### Air transport (ICAO-TI / IATA-DGR)

N-PROPANOL

### 14.3 Transport hazard class(es)

#### Land transport (ADR/RID)

Class(es) : 3  
Classification code : F1  
Hazard identification number (Kemler No.) : 30  
Tunnel restriction code : D/E  
Special provisions : LQ 5 | · E 1  
Hazard label(s) : 3

#### Sea transport (IMDG)

Class(es) : 3  
EmS-No. : F-E / S-D  
Special provisions : LQ 5 | · E 1  
Hazard label(s) : 3

#### Air transport (ICAO-TI / IATA-DGR)

Class(es) : 3  
Special provisions : E 1  
Hazard label(s) : 3

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : XO Gentle Disinfection  
Revision : 14.10.2019  
Print date : 14.10.2019

Version : 1.0.0

### 14.4 Packing group

III

### 14.5 Environmental hazards

Land transport (ADR/RID) : No

Sea transport (IMDG) : No

Air transport (ICAO-TI / IATA-DGR) : No

### 14.6 Special precautions for user

None

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Restrictions of occupation

According to directive 94/33/EC, juveniles are only allowed to handle this product as long as all effects of dangerous substances are prevented.

### 15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

-

### 16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimates

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CMR = Carcinogen, Mutagen or Reproductive toxicant

CO<sub>2</sub> = Carbon dioxide

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EC = European Commission

EC50 = Half maximal effective concentration

EN = European Standard (Norm)

EU = European Union

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

H statement = GHS Hazard statement

IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions

IMDG = International Maritime Dangerous Goods

LC50 = Median lethal concentration

LD50 = Median lethal dose

LogPow = Logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NOEC/NOEL = No observed effect concentration/level

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** XO Gentle Disinfection  
**Revision :** 14.10.2019  
**Print date :** 14.10.2019

**Version :** 1.0.0

1907/2006]

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RMM = Risk Management Measure

RRN = REACH Registration Number

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

SVHC = Substances of Very High Concern

TLV/STEL = Threshold limit value/short-term exposure limit

TLV/TWA = Threshold limit value/time weighted average

UN = United Nations

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP] as well as in-house investigations.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### 16.6 Training advice

None

### 16.7 Additional information

Notice the directions for use on the label.

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---